

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Peter Blamey et al.

Patent No.: 7,366,315

Issued: April 29, 2008

For: ADAPTIVE DYNAMIC RANGE
OPTIMISATION SOUND PROCESSOR

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Abstract:

In the Abstract, line 6, “(409) each of which generates a number ot statistical dis-“ should read -- (409) each of which generates a number of statistical dis- --.

In the Claims:

In Claim 11, column 14, line 5, “plurality of magnitude adjusted anaalysis signals; c) a dis-“ should read -- plurality of magnitude adjusted analysis signals; c) a dis- --.

The error in the claims was not in the application as filed by applicant. However, the error in the abstract was found in the application as filed by applicant. Please charge our Credit Card in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a).

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 22-0185, under Order No. 22409-00043-US. A duplicate copy of this paper is enclosed.

Dated: August 15, 2008

Respectfully submitted,

Electronic signature: /Michael G. Verga/
Michael G. Verga
Registration No.: 39,410
CONNOLLY BOVE LODGE & HUTZ LLP
1875 Eye Street, NW
Suite 1100
Washington, DC 20006
(202) 331-7111
(202) 293-6229 (Fax)
Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,366,315
APPLICATION NO. : 10/817,227
ISSUE DATE : April 29, 2008
INVENTOR(S) : Peter Blamey et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Abstract:

In the Abstract, line 6, “(409) each of which generates a number ot statistical dis-“
should read -- (409) each of which generates a number of statistical dis- --.

In the Claims:

In Claim 11, column 14, line 5, “plurality of magnitude adjusted anaalysis signals; c)
a dis-“ should read -- plurality of magnitude adjusted analysis signals; c) a dis- --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michael G. Verga
CONNOLLY BOVE LODGE & HUTZ LLP 1
1875 Eye Street, NW
Suite 1100
Washington, DC 20006

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michael G. Verga

CONNOLLY BOVE LODGE & HUTZ LLP

2

1875 Eye Street, NW

Suite 1100

Washington, DC 20006